

Touch LightManager Advance console for lighting control white Simon Scena

REF 89000110-030

Image

BASIC INFORMATION

COMPATIBILITY

All types of luminaires and protocols

REMARKS

Requires flush-mount box ref 89000990-039.

FINISH

White

PACKAGING CONTENTS

Touch LightManager, end-of-line resistor, frame holder and instructions

TECHNICAL INFORMATION

MARKET AVAILABLE

CE

FREQUENCY (HZ)

50 - 60 Hz

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

0 - 45 °C

POWER SUPPLY (V~)

100/230 V~

TYPE OF MECHANISM

Touch screen, simple and user-friendly menu browsing

INSTALLATION AND MAINTENANCE

SYSTEM CHANNELS

512

SYSTEM CLCS

10

SYSTEM FOLDERS

12

SYSTEM GROUPS

50

SYSTEM KEYPADS

50

SYSTEM SCHEDULES

20

SYSTEM SCOLOUR

20

SYSTEM SENSORS

20

SYSTEM WARNINGS

9

EMOTIONAL FUNCTIONS

Regulación del Color en luminarias, Biodinámico y regulación de la temperatura de color, Escenas lumínicas, Secuencias y Scolor.

LANGUAGES MENU

Spanish, Catalan, English, Portuguese, French, Chinese, Italian, Polish, Russian and Turkish.

PROGRAMMING

Done entirely on the Touch LightManager console without the need for a PC; compatible with the Simon Scena App.

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific

INSTALLATION DIRECTION

Vertical

INSTALLATION TYPE

Semi-flush mount.

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

REGULATION

REGULATIONS

UNE-EN 50491-3:2010 + 2004/108/CE + 2006/95/CE

LOGISTICS INFORMATION

PRODUCT NET WEIGHT

0.61 KGM

PRODUCT GROSS WEIGHT

0.61 KGM

PRODUCT EAN

8421053125281

PACKAGING QUANTITY

1

PACKAGING HEIGHT

77 MMT

PACKAGING WIDTH

196 MMT

PACKAGING LENGTH

251 MMT

PACKAGING VOLUME

2.947 DMQ

PACKAGING NET WEIGHT

0.61 KGM

PACKAGING EAN

8421053125281