

Angled voice and data plate with dust cover for 1 element with 2 RJ45 category 6 UTP aluminium Simon 500 Cima

REF 50002086-033



BASIC INFORMATION

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

FINISH

Aluminium

PACKAGING CONTENTS

Angled voice and data plate with dust cover, 2 category 6 UTP RJ45 and installation manual

TECHNICAL INFORMATION

MARKET AVAILABLE

CE

NUMBER OF CONNECTORS

2

CABLE SECTION ADMITTED (MM)

22-26 AWG wiring

CONNECTOR CHARACTERISTICS

category 6 UTP

FORMAT

RJ45

IP RATING

IP20

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

NUMBER OF MODULES

1

PLATE TYPE

Angled

RJ45 ADAPTOR MODULE

Included in voice and data plate

RJ45 CONNECTION

With insertion tool

RJ45 CONNECTORS

Included in voice and data plate

SNAP-FIT RJ45 PLATES

Keystone I, II, ATT®/Avaya®

SNAP-FIT TYPE

Keystone I, II, ATT®/Avaya®

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

VERSION

Single

DEPTH (MM)

42,5 mm

DIMENSIONS (MM)

50 x 50 x 42,5

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

REGULATION

REGULATIONS

Directive 2011/65/UE RoHS + EN 50173-1:2011 + EN 50581:2012 + IEC 60603-7-5 Ed 2.0

LOGISTICS INFORMATION

PRODUCT NET WEIGHT

0.079 KGM

PRODUCT GROSS WEIGHT

0.079 KGM

PACKAGING QUANTITY

20

PACKAGING HEIGHT

80 MMT

PACKAGING WIDTH

224 MMT

PACKAGING LENGTH

290 MMT

PACKAGING VOLUME

0.052 HLT

PACKAGING NET WEIGHT

1.58 KGM

PACKAGING EAN

8421053097632