

Flat voice and data plate without dust cover 1 element  
for 2 RJ45 compatible other manufacturers graphite  
Simon 500 Cima

REF 50000189-038



## BASIC INFORMATION

### COMPATIBILITY

Simon 500 Cima enclosures

### REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

### FINISH

Graphite

#### PACKAGING CONTENTS

Flat voice and data plate without dust cover

## TECHNICAL INFORMATION

#### MARKET AVAILABLE

CE

#### RAL

7021

#### COMPATIBLE WITH CONNECTORS

Simon®, ADC Krone® KM8 Keystone Series, AMP netconnect® Serie Standard 110, SL110, SL Tool less, 216000 and 216005, BeldenCDT® GigaFlex Keystone Series, Brand-Rex®, Ersys®, General Cable®, Molex®, Panduit® Netkey Series, Ortronics® Clarity TechChoice Keystone Series, Rit®, Systimax® and manufacturers of RJ45 with Keystone I and II format snap fitting.

#### FORMAT

RJ45

#### IP RATING

IP20

#### MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

#### NUMBER OF MODULES

1

#### PLATE TYPE

Flat

#### RJ45 ADAPTOR MODULE

Included in voice and data plate

#### RJ45 CONNECTORS

Not included in voice and data plate

#### SNAP-FIT RJ45 PLATES

Keystone I, II, ATT®/Avaya®

#### SNAP-FIT TYPE

Keystone I, II, ATT®/Avaya®

#### TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

#### VERSION

Single

#### DEPTH (MM)

11 mm

#### DIMENSIONS (MM)

50 x 50 x 11

## INSTALLATION AND MAINTENANCE

#### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

#### INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

#### INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

#### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

## REGULATION

### REGULATIONS

Directive 2011/65/UE RoHS + EN 50173-1:2011 + EN 50581:2012 + IEC 60603-7-2 Ed 2.0\*1 + IEC 60603-7-3 Ed 2.0\*2 + IEC 60603-7-4 Ed 2.0\*3 + IEC 60603-7-5 Ed 2.0\*4

## LOGISTICS INFORMATION

### PRODUCT NET WEIGHT

0.017 KGM

### PRODUCT GROSS WEIGHT

0.017 KGM

### PACKAGING QUANTITY

20

### PACKAGING HEIGHT

88 MMT

### PACKAGING WIDTH

123 MMT

### PACKAGING LENGTH

136 MMT

### PACKAGING VOLUME

1.472 DMQ

### PACKAGING NET WEIGHT

0.34 KGM

PACKAGING EAN  
8421053095058