

Flush-mount trim cover for adjustable floor box or service cover 6 elements grey Simon 500 Cima

REF 52053103-035



BASIC INFORMATION

REMARKS

Optional element. To combine with the floor box if not installing the same floor finish.

FINISH

Grey

MATERIAL

Plastic

PACKAGING CONTENTS

Trim cover

TECHNICAL INFORMATION

MARKET AVAILABLE

CE

IK CLASSIFICATION

8

RAL

7011

AVAILABLE IN

2, 4, 6, 8 and 12 elements

DIELECTRIC STRENGTH

No holes or contours, with 2000V at 50 Hz for 1 minute

HEAT RESISTANCE (°C)

+125°C (according rule IEC 60695-10-2)

INSULATION RESISTANCE (V-MΩ)

>5 MOhms at 500V

IP RATING

IP4X

MAX TEMP DURING CONSTRUCTION WORK (°C)

+90 °C

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

VERSION

6 elements

DEPTH (MM)

5 mm

DIMENSIONS (MM)

154 x 160 x 5

INSTALLATION AND MAINTENANCE

EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-2-11)

INSTALLATION DIRECTION

Horizontal and vertical, corresponding with the installation of the floor box

INSTALLATION TYPE

In raised or concrete floor with adjustable floor boxes or service covers

REMOVAL OF COVER

Only with tool

TYPE OF FASTENING

Using the screws supplied

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

REGULATION

REGULATIONS

Directive 2014/35/UE LVD + EN 60670-23:2008

LOGISTICS INFORMATION

PRODUCT NET WEIGHT

0.111 KGM

PRODUCT GROSS WEIGHT

0.111 KGM

PACKAGING QUANTITY

10

PACKAGING HEIGHT

75 MMT

PACKAGING WIDTH

165 MMT

PACKAGING LENGTH

170 MMT

PACKAGING VOLUME

3.217 DMQ

PACKAGING NET WEIGHT

1.11 KGM

PACKAGING EAN

8421053101520