

# Front face kit for 2 elements with 1 2P socket and 1 individual button shiny black Simon 100

REF 10020221-138

Image

## BASIC INFORMATION

### FINISH

Gloss black

## TECHNICAL INFORMATION

### MARKET AVAILABLE

CE

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

TYPE OF MECHANISM

Momentary switch / Insert button

VOLTAGE (V~)

250 V~

## INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Suitable for flush mounting

TYPE OF TERMINAL CONNECTION

1 click connection (1 click®)

## REGULATION

REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-1:1999  
+ EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2: 2008\*2 + IEC 60884-1 Ed. 3.2\*1

## LOGISTICS INFORMATION

PRODUCT NET WEIGHT

0.046 KGM

PRODUCT GROSS WEIGHT

0.046 KGM

PRODUCT EAN

8421053232309

PACKAGING QUANTITY

1

PACKAGING HEIGHT

25.3 MMT

PACKAGING WIDTH

84 MMT

PACKAGING LENGTH

84 MMT

PACKAGING VOLUME

178516.8 MMQ

PACKAGING NET WEIGHT

0.046 KGM

PACKAGING EAN

8421053232309